# **Naval Research Laboratory**

Washington, DC 20375-5000

AD-A198 362




NRL Memorandum Report 6150

# Preliminary Study of the Dynamics of **High Latitude Nuclear Plumes**


J.A. FEDDER AND J.G. LYON

Geophysical and Plasma Dynamics Branch P'asma Physics Division



July 21, 1988

# DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.


SECURITY	CLASSIFIC	AT ON O	F THIS	PAGE

REPORT DOCUMENTATION PAGE					orm Approved MB No 0704-0188
1a REPORT SECURITY CLASSIFICATION UNCLASSIFIED		16 RESTRICTIVE	MARKINGS		
2a SECURITY CLASSIFICATION AUTHORITY	}	AVAILABILITY O			
26 DECLASSIFICATION DOWNGRADING SCHEDU	Approved to public release; distribution unlimited				
4 PERFORMING ORGANIZATION REPORT NUMB	ER(S)	5 MONITORING	ORGANIZATION R	EPORT NUMBE	R(S)
NRL Memorandum Report 6150		ł			
68 NAME OF PERFORMING ORGANIZATION	6b OFFICE SYMBOL (If applicable)	7a NAME OF MONITORING ORGANIZATION			
Naval Research Laboratory	Code 4780	<u> </u>			
6c ADDRESS (City, State, and ZIP Code)		7b ADDRESS (City, State, and ZIP Code)			
Washington, DC 20375-5000					1
8a NAME OF FUNDING SPONSORING ORGANIZATION	8b OFFICE SYMBOL (If applicable)	9 PROCUREMEN	IT INSTRUMENT ID	ENTIFICATION	NUMBER
Defense Nuclear Agency	RAAE	1			i
8c ADDRESS (City, State, and ZIP Code)	<del></del>		FUNDING NUMBER		
Washington, DC 20305		PROGRAM ELEMENT NO	PROJECT NO CDOOMY	TASK. NO	WORK UNIT ACCESSION NO
washington, DC 20303		62715н	NO S99QMX- BC-RB	RC/0015	
11 TITLE (Include Security Classification)	<del></del>			<u> </u>	
Preliminary Study of the Dyr	namícs of Hígh I	Latitude Nuc	lear Plumes		1
12 PERSONAL AUTHOR(S)					
Fedder, J.A. and Lyon, J.G.  13a TYPE OF REPORT  13b TIME OF	OVERED	14 DATE OF REPO	ORT (Year, Month,	Day) 15 PA	GE COUN*
Interim FROM	10	1988 July			23
16 SUPPLEMENTARY NOTATION This report was snonsored by Work Unit Code & Title: RB  17 COSATI CODES FIELD GROUP SUB-GROUP		sma Structur Continue on revers lume evoluti de HANEs	e Evolution se if necessary and	d identify by b	
19 ABSTRACT (Continue on reverse if necessary			<del></del> _		
This memorandum reports behavior of a HAHE plasma plusian plasma processes existing the ionocpheric conductivity. The enhancement polarizes so as fore does not take an active of the conduction of the conductivity.	ume at high-lat: ere. The plume the results demon to explude the i crart in the ene	itude and it is modeled astrate that high velocit erretic high	s interacti as a region the HANE p y plasma co Flatitude p	on with to of extre lasma con nvection lasma pro	the dynamic mely high ductivity and there-
20 DISTRIBUTION AVAILABILITY OF ABSTRACT	RPT DICUSERS	UNCLASS	IF1ED		
	RPT DIC USERS	UNCLASS	IFIED (Include Area Code	) ZZC OFFICE	5YMBOL le: 4780

#### TABLE OF CONTENTS

		Page No.
I.	INTRODUCTION	. 1
II.	MODEL	. 2
III.	RESULTS	. 3
IV.	DISCUSSIONS AND CONCLUSIONS	. 4
ACKNO'	WLEDGMENT	. 6
REFER	ENCES	. 7





# PRELIMINARY STUDY OF THE DYNAMICS OF HIGH LATITUDE NUCLEAR PLUMES

#### I. INTRODUCTION

The late time remnant of a High Altitude Nuclear Explosion (HANE) is a region of greatly enhanced plasma density in the ionosphere and extended along geomagnetic field lines into the magnetosphere. commonly called a nuclear plume, extends hundreds of kilometers perpendicular to the magnetic field and 10's of thousands of kilometers along the field. The plasma density in the plume is typically  $10^6$  to  $10^8$  cm<sup>-3</sup> and can be highly structured perpendicular to the magnetic field. These nuclear plumes, which can exist for 10 hours or more, constitute a serious threat to radio and microwave communication systems which rely on space based assets. At low and mid geomagnetic latitudes, the late time motion and evolution of nuclear plumes are reasonably well understood. They are affected primarily by gravity which causes the plasma to slowly fall and by thermospheric neutral winds which can cause the plume to move perpendicular to the magnetic field at 10 to  $100 \text{ m sec}^{-1}$ . This relatively slow motion is typical of all ionosphere and magnetosphere plasma at low and mid latitudes.

The situation at high latitudes, the auroral regions and polar caps, is substantially different. Here the ionosphere and magnetosphere plasma is electromagnetically connected to the solar wind. The convection is responsible for large scale energetic current systems, the auroral particles which precipitate into the ionosphere, and the plasma convection, high velocity plasma flow at speeds which can exceed 1 km sec<sup>-1</sup>. Two natural and important questions immediately arise. How do these dynamic polar processes affect nuclear plumes? How do nuclear plumes affect the polar plasma processes and the connection of the earth's magnetosphere to the solar wind?

We have recently developed a simulation model for the earth's magnetosphere and its interaction with the solar wind. The simulation model allows the theoretical study of the polar currents, the auroral plasma, and the plasma convection and how these natural processes are affected by the solar wind. In a recent publication [Fedder and Lyon, 1987] we have discussed the solar wind-magnetosphere-ionosphere current-voltage relationship. The simulation model also can allow, with proper alteration, the study of HANE plasma at high latitudes.

Manuscript approved August 4, 1987.

In this paper we report the results of a preliminary study of HANE plasma dynamics at high latitudes. The HANE plasma is modeled as a region in the polar ionosphere with greatly enhanced conductivity. We report on the modification which this enhancement causes in the polar currents and the plasma convection. We discuss the implications of these results for high latitude HANE dynamics. Finally, we suggest future research studies to further elucidate the problem.

#### II. MODEL

The simulations are based on the ideal MHD equations which are used to describe the solar wind and the outer (beyond 3.5  $\rm R_{\rm e}$ ) magnetosphere. They are given as follows.

$$\frac{\partial \rho}{\partial t} + \nabla \cdot (\rho \underline{v}) = 0 \tag{1}$$

$$\rho \frac{\partial v}{\partial t} + \rho (\underline{v} \cdot \nabla)\underline{v} + \nabla p = \underline{j} \times \underline{B}$$
 (2)

$$\frac{\partial \varepsilon}{\partial t} = - \nabla \cdot (\varepsilon + p)\underline{v} + \underline{j} \cdot \underline{E}$$
 (3)

$$\frac{\partial \mathbf{B}}{\partial t} = - \nabla \times \underline{\mathbf{E}} \tag{4}$$

$$\mu \underline{\mathbf{j}} = \nabla \times \underline{\mathbf{B}} \tag{5}$$

$$\underline{\underline{E}} + \underline{\underline{v}} \times \underline{\underline{B}} = 0, \tag{6}$$

where the symbols have their common usage. For the magnetospheric-solar wind region of interest the major error in these equations is the neglect of the so-called Hall term,  $m/pe(\underline{j} \times \underline{B})$ , on the right hand side of (6). These equations are solved as an initial value problem to a quasi-steady state for a given solar wind condition.

Our recent simulations have included a number of innovations. First, the development of a fully-nonlinear, high-accuracy algorithm for solution of the MHD equations [J.G. Lyon, manuscript in preparation]. Second, the use of a spider web numerical grid which is rotated around the sun-earth axis to provide a 3-dimensional cylindrical mesh which gives

high resolution in important regions (i.e., the dayside magnetopause, the polar open field line region). Third, the inclusion of a model for the conducting ionosphere, which provides a physical inner boundary to the MHD system. Specifically, the ionosphere is modeled electrostatically,

$$\nabla \cdot \underline{\Sigma} \cdot \underline{E} = J_{11}. \tag{7}$$

The parallel current density,  $J_{||}$ , is calculated at the inner boundary (3.5  $R_E$  geocentric radius) of the MHD mesh. It is mapped along dipole field lines to the ionosphere where the electric field, E, is computed using a conductivity model for the ionosphere. The electric field is then mapped outward to the inner boundary where it is used as a boundary condition for both the momentum balance equation and for Faraday's Law. The system of equations (1) thru (7) form a closed set with the conductivity, E, provided. They also constitute a realistic, restricted physical model for magnetosphere-ionosphere coupling. The main effects ignored are the Alfven propagation time from 3.5  $R_E$  to the ionosphere, the possible existence of field aligned potentials, and the enhancements to conductivity created by precipitating auroral particles.

For the results presented here we have used steady solar wind conditions with density,  $n=5~\rm cm^{-3}$ , velocity,  $V=400~\rm km~sec^{-1}$ , temperature,  $T=10~\rm ev$ , and IMF,  $B=5~\rm nT$  southward. We have also used a uniform ionospheric conductance 2.5 mho. The HANE plasma plume is modeled as an enhancement of the ionospheric conductance to 1000 mho with a horizontal extent in the ionosphere of about 500 km. The magnetosphere was allowed to achieve a quasi-steady state for the given solar wind and uniform conductance before introduction of the HANE conductivity enhancement.

#### III. RESULTS

The results of the simulation study are demonstrated with contour plots of the high latitude field aligned currents and the polar electric potential. Figure 1 shows the currents and potential before introduction of the high conductivity region. The currents in the left plot show the Region 1 and Region 2 Birkeland current systems. The Region 1 currents are out of (positive) the ionosphere in the afternoon-evening and into (negative) the ionosphere in the morning. The Region 1 currents are the driving currents for the polar convection and originate in the solar wind-magnetosphere dynamo as discussed in Fedder and Lyon [1987]. The Region 1

current sheets also delineate the boundary between open magnetic field lines connecting to the solar wind and the earth's closed field lines at lower altitudes. The right plot in Fig. 1 shows electric potential contours which are also flow lines for the plasma convection. The flow is distributed uniformly across the polar cap in the antisolar direction (noon to midnight) and returns toward the dayside as lower latitudes. The antisolar flow occurs essentially on open magnetic field and sunward flow on closed field.

For this preliminary study the conductivity enhancement, simulating the HANE plume plasma, was inserted in the northern polar ionosphere just poleward of the afternoon-evening Region 1 current sheet at 77° magnetic latitude and at an hour angle of 14:30. Figures 2, 3 and 4 show the results in a temporal sequence during the continuing simulation. There are a number of notable features in the results. First, the Birkeland current patterns are essentially undisturbed by the introduction of the HANE conductivities. Second, the potential patterns and plasma convective flow avoid the region of enhanced HANE conductivity. Third, after a very quick adjustment to the HANE conductivities lasting less than 5 minutes the currents and flow become quasi-steady and are essentially unchanged for the next 15 minutes. A final notable feature seen in both the north and south polar regions, Figs. 4 and 5, is the dramatic shift of high speed antisolar plasma convective flow from the afternoon side of the polar region toward the morning side. We will discuss these features and their physical cause in the following section.

#### IV. DISCUSSION AND CONCLUSIONS

The results presented in the previous section allow us to begin to form some tentative conclusions concerning the dynamics of HANE plasma plumes and their interaction with the high latitude environment. The apparent absence of major morphological changes to the Birkeland current patterns shown in Figs. 2 - 5 show that the HANE conductivity enhancement does not effectively couple to the solar wind magnetosphere dynamo. This result is consistent with our previous results in Fedder and Lyon [1987] which showed that increasing polar conductivities reduce the power delivered by the solar wind to the magnetosphere-ionosphere. There are some perturbations to the polar current pattern along the edges of the plume but both the current density and the total current are much smaller than that in the Region 1 current system.

The changes to the potential pattern and the convective flow of plasma in the polar region is much more remarkable. demonstrate that the plume polarizes so as to exclude the polar electric the plasma convection flowing around the This leads to conductivity enhancement. Inside the enhancement the electric field and therefore the plasma speed perpendicular to the geomagnetic field is more than an order of magnitude less than that outside. This result indicates that HANE plumes should be expected to evolve only very slowly at highlatitudes and not participate in the general plasma convective flow. This is an important result since it indicates that high latitude HANE plasma plumes should be very long lived and should decay very slowly owing primarily to the effects of gravity and plasma recombination in the ionosphere. Also, because of the strong shielding of the convective electric field one would not expect plumes to structure by the gradient drift instability. On the other hand, the strong velocity shear which will occur at the plume boundary could lead to erosion of the plume via the Kelvin-Helmholtz instability (Keskinen et al., 1987).

The final notable result is the shift of strong convective flow from the afternoon side of the polar cap toward the morning side as demonstrated in both Figs. 4 and 5. This result indicates that, although the conductivity enhancement does not couple strongly to the solar wind-magnetosphere dynamo, the normal coupling of the ionosphere to the dynamo is changed. The change occurs by causing the dayside magnetic reconnection region, the source of the dynamo, to move towards the morning side of the magnetosphere and may also involve changes in the external shape of the magnetosphere. A complete understanding of the detailed nature of these changes will require further study.

There is one other effect not mentioned in the results section that deserves discussion. If one examines the temporal sequence, Figs. 1 through 4, one notices a gradual decrease in both the polar cap potential and the intensity of the Region 1 Birkeland currents. More careful examination also indicates a shrinkage in the area of the polar cap, the open field line region, and a decrease in the width of the dayside antisunward flow. Whether this decrease is caused by the HANE conductivity enhancement or by a quasi-steady oscillation of the magnetosphere system is not yet clear and will require further study. Nevertheless, it is consistent with our previous results showing reduced efficiency for the solar wind-magnetosphere dynamo in the presence of enhanced polar ionosphere conductivities.

The results and conclusions here are preliminary and therefore tentative for a number of reasons. First, the model of the HANE plasma plume as a conductivity enhancement ignores the great volume of HANE plasma extended along the geomagnetic field into the magnetosphere. This plasma at great altitudes could lead to additional effects not anticipated in this report. Second, the numerical resolution in the polar ionosphere is rather coarse and the plasma conductivity enhancement occupied essentially a single numerical cell. Higher resolution simulations are necessary to confirm these preliminary results. Third, the results presented here consider only a single HANE plasma plume at one location in the polar region. Additional simulations are required to investigate the effects of HANE plasma plumes in different locations and the effects of multiple HANEs in the high latitude ionosphere-magnetosphere. Finally, the conductivity enhancement in this simulation was held fixed in space throughout the calculation. The motion of the HANE plume could become important over temporal scales of an hour or more as it drifts and distorts, however slowly, in the reduced high latitude convection field. In the future, we intend to remove these previously mentioned limitations of the current simulation model and to thereby improve the accuracy of the results.


#### ACKNOWLEDGMENT

This research has been supported by the Defense Nuclear Agency.

#### REFERENCES

- Fedder, J.A. and J.G. Lyon, The Solar Wind-Magnetosphere-Ionosphere Current-Voltage Relationship, to be published in <u>Geophys. Res. Lett.</u>, 1987.
- Keskinen, M.J., H.G. Mitchell, J.A. Fedder, P. Satyanarayana, S.T. Zalesak, and J.D. Huba, Nonlinear Evolution of the Kelvin-Helmholtz Instability in the High Latitude Ionosphere, to be published in <u>J. Geophys. Res.</u>, 1987.

Northern Hemisphere step=15000 time= 5.968E+03




field aligned current

potential

maximum value = 7.534E-07 maximum value = 7.485E+04minimum value = -6.168E-07 minimum value = -8.523E+04

Figure 1: The field-aligned currents (amp/m<sup>2</sup>) on the left and electric potential (volts) on the right as a function of magnetic latitude, 60°-90°, and solar hour angle. For currents, the solid (dashed) contours indicate out of (into) the ionosphere; and for voltage, solid (dashed) contours indicate positive (negative) potential. The contours are for initial conditions for HANE plume simulations. The current contours show the Region 1 system between 70° and 80° magnetic latitude, and the Region 2 currents at lower latitude. The potential contours show the anti-sunward plasma convection above about 75° latitude and sunward convection at lower latitudes. Contours are spaced evenly between the maximum and minimum values indicated.

Northern Hemisphere step=15100 time= 6.015E+03



field aligned current


maximum value = 6.774E-07 maximum value = 6.417E+04

potential

minimum value = -5.619E-07 minimum value = -6.984E+04

Figure 2: Same as Figure 1 one minute after introduction of HANE conductivity.

## NORTHERN HEMISPHERE STEP=16000 TIME= 6.431E+03




FIELD ALIGNED CURRENT

POTENTIAL

MAXIMUM VALUE = 6.289E-07 MAXIMUM VALUE = 6.544E+04MINIMUM VALUE = -4.736E-07 MINIMUM VALUE = -7.317E+04

Figure 3: Same as Figure 2 but 7 minutes later.

# NORTHERN HEMISPHERE STEP=17000 TIME= 6.893E+03



FIELD ALIGNED CURRENT


POTENTIAL

MAXIMUM VALUE = 6.027E-07 MINIMUM VALUE = -4.894E-07

MAXIMUM VALUE = 6.032E+04 MINIMUM VALUE = -6.889E+04

Figure 4: Same as Figure 2 but 15 minutes later.

## SOUTHERN HEMISPHERE STEP=17000 TIME= 6.893E+03



FIELD ALIGNED CURRENT

POTENTIAL

MAXIMUM VALUE = 6.594E-07 MAXIMUM VALUE = 6.176E+04MINIMUM VALUE = -6.656E-07 MINIMUM VALUE = -6.898E+04

Figure 5: Plots for south polar region, same as Figure 4.

#### DISTRIBUTION LIST

#### DEPARTMENT OF DEFENSE

ASSISTANT SECRETARY OF DEFENSE COMM, CMD, CONT 7 INTELL WASHINGTON, DC 20301

DIRECTOR
COMMAND CONTROL TECHNICAL CENTER
PENTAGON RM BE 685
WASHINGTON, DC 20301
O1CY ATTN C-650
O1CY ATTN C-312 R. MASON

DIRECTOR

DEFENSE ADVANCED RSCH PROJ AGENCY

ARCHITECT BUILDING

1400 WILSON BLVD.

ARLINGTON, VA 22209

O1CY ATTN NUCLEAR

MONITORING RESEARCH

O1CY ATTN STRATEGIC TECH OFFICE

DEFENSE COMMUNICATION ENGINEER CENTER

1860 WIEHLE AVENUE

RESTON, VA 22090

01CY ATTN CODE R410

01CY ATTN CODE R812

COMMANDANT

NATO SCHOOL (SHAPE)

DIRECTOR
DEFENSE NUCLEAR AGENCY
WASHINGTON, DC 20305
01CY ATTN STVL
04CY ATTN TITL
01CY ATTN DDST
03CY ATTN RAAE

COMMANDER
FIELD COMMAND
DEFENSE NUCLEAR AGENCY
KIRTLAND, AFB, NM 87115
01CY ATTN FCPR

DEFENSE NUCLEAR AGENCY SAO/DNA BUILDING 20676 KIRTLAND AFB, NM 87115 01CY D.C. THORNBURG DIRECTOR
INTERSERVICE NUCLEAR WEAPONS SCHOOL
KIRTLAND AFB, NM 87115
01CY ATTN DOCUMENT CONTROL

JOINT PROGRAM MANAGEMENT OFFICE WISHINGTON, DC 20330
OICY ATTN J-3 WWMCCS EVALUATION OFFICE

DIRECTOR
JOINT STRAT TGT PLANNING STAFF
OFFUTT AFB
OMAHA, NB 68113
O1CY ATTN JSTPS/JLKS
O1CY ATTN JPST G. GOETZ

CHIEF
LIVERMORE DIVISION FLD COMMAND DNA
DEPARTMENT OF DEFENSE
LAWRENCE LIVERMORE LABORATORY
P.O. BOX 808
LIVERMORE, CA 94550
O1CY ATTN FCPRL

COMMANDANT
NATO SCHOOL (SHAPE)
APO NEW YORK 09172
01CY ATTN U.S. DOCUMENTS OFFICER

UNDER SECY OF DEF FOR RSCH & ENGRG DEPARTMENT OF DEFENSE WASHINGTON, DC 20301
O1CY ATTN STRATEGIC & SPACE SYSTEMS (OS)

COMMANDER/DIRECTOR
ATMOSPHERIC SCIENCES LABORATORY
U.S. ARMY ELECTRONICS COMMAND
WHITE SANDS MISSILE RANGE, NM 88002
OFCY ATTN DELASTED, F. NILES

BMD ADVANCED TECH CTR
HUNTSVILLE OFFICE
P.O. BOX 1500
HUNTSVILLE, AL 35807
OICY ATTN ATC-T MELVIN T. CAPPS
OICY ATTN ATC-O W. DAVIES
OICY ATTN ATC-R DON RUSS

DIRECTOR

PROGRAM MANAGER BMD PROGRAM OFFICE DIRECTOR U.S. ARMY TRADOC SYSTEMS ANALYSIS 5001 EISENHOWER AVENUE ACTIVITY ALEXANDRIA, VA 22333 WHITE SANDS MISSILE RANGE, NM 88002 OICY ATTN DACS-BMT J. SHEA OICY ATTN ATAA-SA OICY ATTN TCC/F. PAYAN JR. CHIEF C-E- SERVICES DIVISION OICY ATTN ATTA-TAC LTC J. HESSE U.S. ARMY COMMUNICATIONS CMD PENTAGON RM 18269 COMMANDER NAVAL ELECTRONIC SYSTEMS COMMAND WASHINGTON, DC 20310 OICY ATTN C- E-SERVICES DIVISION WASHINGTON, DC 20360 OICY ATTN NAVALEX 034 T. HUGHES COMMANDER O1CY ATTN PME 117 O1CY ATTN PME 117-T O1CY ATTN CODE 5011 U.S. ARMY COMM-ELEC ENGRG INSTAL AGY FT. HUACHUCA, AZ 85613 DICY ATTN CCC-EMEO GEORGE LANE COMMANDING OFFICER COMMANDER NAVAL INTELLIGENCE SUPPORT CTR U.S. ARMY FOREIGN SCIENCE & TECH CTR 4301 SUITLAND ROAD, BLDG. 5 220 7TH STREET, NE WASHINGTON, DC 20390 CHARLOTTESVILLE, VA 22901 O1CY ATTN MR. DUBBIN STIC 12 OICY ATTN NISC-50 O1CY ATTN DRXST-SD OICY ATTN CODE 5404 J. GALET COMMANDER U.S. ARMY MATERIAL DEV & READINESS CMD COMMANDER 5001 EISENHOWER AVENUE NAVAL OCCEAN SYSTEMS CENTER ALEXANDRIA, VA 22333 SAN DIEGO, CA 92152 O1CY ATTN DRCLDC J.A. BENDER 1CY ATTN J. FERGUSON NAVAL RESEARCH LABORATORY COMMANDER U.S. ARMY NUCLEAR AND CHEMICAL AGENCY WASHINGTON, DC 20375 7500 BACKLICK ROAD O1CY ATTN CODE 4700 S.L. Ossakow, 26 CYS IF UNCLASS BLDG 2073 SPRINGFIELD, VA 22150 (O1CY IF CLASS) ATTN CODE 4730 J.D. HUBA, 50 CYS IF UNCLASS, 01CY IF CLASS O1CY ATTN LIBRARY DIRECTOR OICY ATTN CODE 4701 I. VITKOVITSKY OICY ATTN CODE 7500 OICY ATTN CODE 7550 U.S. ARMY BALLISTIC RESEARCH LABORATORY DICY ATTN CODE 7580 ABERDEEN PROVING GROUND, MD 21005 OICY ATTN TECH LIBRARY, GICY ATTN CODE 7551 OICY ATTN CODE 7555 EDWARD BAICY OICY ATTN CODE 4730 E. MCLEAN OICY ATTN CODE 4752 COMMANDER U.S. ARMY SATCOM AGENCY FT. MONMOUTH, WJ 07703 O1CY ATTN CODE 4730 B. RIPIN 22CY ATTN CODE 2628 DICY ATTN DOCUMENT CONTROL COMMANDER NAVAL SPACE SURVEILLANCE SYSTEM COMMANDER U.S. ARMY MISSILE INTELLIGENCE AGENCY DAHLGREN, VA 22448

OICY ATTN CAPT J.H. BURTON

REDSTONE ARSENAL, AL 35809 010Y ATTN DIM GAMBLE NAVAL SURFACE WEAPONS CENTER
WHITE OAK, SILVER SPRING, MD 20910
01CY ATTN CODE F31

AIR FORCE AVIONICS LABORATORY
WRIGHT-PATTERSON AFB, OH 45433
O1CY ATTN AAD WADE HIMT

DIRECTOR STRATEGIC SYSTEMS PROJECT OFFICE DEPARTMENT OF THE NAVY WASHINGTON, DC 20376 OICY ATTH NSP-2141 O1CY ATTN NSSP-2722 FRED WIMBERLY

COMMANDER NAVAL SURFACE WEAPONS CENTER DAHLGREN LABORATORY DAHLGREN, VA 22448 O1CY ATTN CODE DF-14 R. BUTLER

OFFICER OF NAVAL RESEARCH ARLINGTON, VA 22217 OICY ATTN CODE 465 OICY ATTN CODE 461 OICY ATTN CODE 402 O1CY ATTN CODE 420 O1CY ATTN CODE 421

COMMANDER AEROSPACE DEFENSE COMMAND/XPD DEPARTMENT OF THE AIR FORCE ENT AFB, CO 80912 OICY ATTN XPDQQ OICY ATTN XP

AIR FORCE GEOPHYSICS LABORATORY HANSCOM AFB, MA 01731 OICY ATTN OPR HAROLD GARDNER OICY ATTN LKB KENNETH S.W. CHAMPION O1CY ATTN OPR ALVA T. STAIR DICY ATTN PHD JURGEN BUCHAU GICY ATTN PHD JOHN P. MULLEN

AF WEAPONS LABORATORY KIRTLAND AFT, NM 87117 OICY ATTN SUL O1CY ATTN CA ARTHUR H. GUENTHER

AFTAC PATRICY AFB, FL 32925 OICY ATTN TN

OICY ATTN AAD ALLEN JOHNSON

DEPUTY CHIEF OF STAFF RESEARCH, DEVELOPMENT, & ACQ DEPARTMENT OF THE AIR FORCE WASHINGTON, DC 20330 CICY ATTN AFRDQ

HEADQUARTERS ELECTRONIC SYSTEMS DIVISION DEPARTMENT OF THE AIR FORCE HANSCOM AFB, MA 01731-5000 O1CY ATTN J. DEAS ESD/SCD-4

COMMANDER FOREIGN TECHNOLOGY DIVISION, AFSC WRIGHT-PATTERSON AFB, OH 45433 O1CY ATT% NICD LIBRARY
O1CY ATTN ETDP B. BALLARD

COMMANDER ROME AIR DEVELOPMENT CENTER, AFSC GRIFFISS AFB, NY 13441 O1CY ATTN DOC LIBRARY/TSLD O1CY ATTN OCSE V. COYNE

STRATEGIC AIR COMMAND/XPFS OFFUTT AFB, NB 68113 O1CY ATTN XPFS

SAMSO/MN NORTON AFB, CA 92409 (MINUTEMAN) OICY ATTN MNNL

COMMANDER ROME AIR DEVELOPMENT CENTER, AFSC HANSCOM AFB, MA 01731 OICY ATTN EEP A. LORENTZEN

DEPARTMENT OF ENERGY LIBRARY ROOM G-042 WASHINGTON, DC 20545 DICY ATTN DOC CON FOR A. LABOWITZ

DEPARTMENT OF ENERGY ALBUQUERQUE OPERATIONS OFFICE P.O. BOX 5400 ALBUQUERQUE, NM 87115 OICY ATTN DOC CON FOR D. SHERWOOD

EG&G, INC. OFFICE OF MILITARY APPLICATION LOS ALAMOS DIVISION DEPARTMENT OF ENERGY P.O. 50X 809 WASHINGTON, DC 20545 LOS ALAMOS, NM 85544 OICY ATTN DOC CON DR. YO SONG OICY ATTN DOC CON FOR J. BREEDLOVE NATIONAL OCEANIC & ATMOSPHERIC ADMIN UNIVERSITY OF CALIFORNIA ENVIRONMENTAL RESEARCH LABORATORIES LAWRENCE LIVERMORE LABORATORY DEPARTMENT OF COMMERCE P.O. BOX 808 BOULDER, CO 80302 OICY ATTN R. GRUBB LIVERMORE, CA 94550 OICY ATTN DOC CON FOR TECH INFO DEPT DEPARTMENT OF DEFENSE CONTRACTORS DICY ATTN DOC CON FOR L-389 R. OTT OICY ATTN DOC CON FOR L-31 R. HAGER AEROSPACE CORPORATION P.O. BOX 92957 LOS ALAMOS NATIONAL LABORATORY LOS ANGELES, CA 90009 OICY ATTN I. GARFUNKEL .O. BOX 1663 O1CY ATTN T. SALMI LOS ALAMOS, NM 87545 OS ALAMOS, NM 07545

O1CY ATTN DOC CON FOR J. WOLCOTT

O1CY ATTN DOC CON FOR R.F. TASCHEK

O1CY ATTN S. BOWER CICY ATTN DOC CON FOR E. JONES OICY ATTN D. OLSEN OICY ATTN DOC CON FOR J. MALIK O1CY ATTN DOC CON FOR R. JEFFRIES ANALYTICAL SYSTEMS ENGINEERING CORP O1CY ATTN DOC CON FOR J. ZINN 5 OLD CONCORD ROAD OICY ATTN DOC CON FOR D. WESTERVELT BURLINGTON, MA 01803 O1CY ATTN D. SAPPENFIELD O1CY ATTN RADIO SCIENCES LOS ALAMOS NATIONAL LABORATORY AUSTIN RESEARCH ASSOC., INC. MS D438 1901 RUTLAND DRIVE AUSTIN, TX 78758 LOS ALAMOS. NM 87545 OICY ATTN S.P. GARY O1CY ATTN L. SLOAN O1CY ATTN J. BOROVSKY O1CY ATTN R. THOMPSON SANDIA LABORATORIES BERKELEY RESEARCH ASSOCIATES, INC. P.O. BOX 5800 P.O. BOX 983 ALBUQUERQUE, NM 87115 BERKELEY, CA 94701 O1CY ATTN J. WORKMAN O1CY ATTN DOC CON FOR W. BROWN OICY ATTN DOC CON FOR A. OICY ATTN C. PRETTIE O1CY ATTN S. BRECHT THORNBROUGH OICY ATTH DOC CON FOR T. WRIGHT GICY ATTN DOC CON FOR D. DAHLGREN BOEING COMPANY, THE OICY ATTN DOC CON FOR 3141 P.O. BOX 3707 OICY ATTN DOC CON FOR SPACE PROJECT SEATTLE, WA 98124 DIV OICY ATTN G. KEISTER OTCY ATTN D. MURRAY OICY ATTN G. HALL SANDIA LABORATORIES LIVERMORE LABORATORY OICY ATTN J. KENNEY P.O. BOX 969 LIVERMORE, CA 94550 CHARLES STARK DRAPER LABORATORY, INC. 01CY ATTN DOC CON FOR B. MURPHEY 555 TECHNOLOGY SQUARE LIVERMORE, CA 94550 CAMBRIDGE MA C2139 010Y ATTN D.B. COX 010Y ATTN J.P. GILMORE OICY ATT: DOC CON FOR T. COCK

COMSAT LABORATORIES 22300 COMSAT DRIVE CLARKSBURG, MD 20871 OICY ATTN G. HYDE

CORNELL UNIVERSITY DEPARTMENT OF ELECTRICAL ENGINEERING ITHACA, NY 14850 OICY ATTN D.T. FARLEY, JR.

ELECTROSPACE SYSTEMS, INC. BOX 1359 RICHARDSON, TX 75080 OICY ATTN H. LOGSTON O1CY ATTN SECURITY (PAUL PHILLIPS)

ECS TECHNOLOGIES, INC. 606 Wilshire Blvd. Santa Monica, CA 90401 O1CY ATTN C.B. GABBARD O1CY ATTN R. LELEVIER

GENERAL ELECTRIC COMPANY SPACE DIVISION VALLEY FORGE SPACE CENTER GODDARD BLVD KING OF PRUCSIA P.O. BOX 3555 PHILADELPHIA, PA 19101 OICY ATTN M.H. BORTNER SPACE SCI LAB

GEOPHYSICAL INSTITUTE UNIVERSITY OF ALASKA FAIRBANKS, AK 99701 (ALL CLASS ATTN: SECURITY OFFICER) KAMAN SCIENCES CORP O1CY ATTN T.N. DAVIS (UNCLASS ONLY) P.O. BOX 7463 OICY ATTN NEAL BROWN (UNCLASS ONLY) COLORADO SPRINGS, CO 80933

GTE SYLVANIA, INC. ELECTRONICS SYSTEMS GRP-EASTERN DIV 77 A STREET NEEDHAM, MA 02194 OICY ATTN DICK STEINHOF

HSS, INC. 2 ALFRED CIRCLE BEDFORD, MA 01730 OICY ATTN DONALD HANSEN ILLINOIS, UNIVERSITY OF 107 COBLE HALL 150 DAVENPORT HOUSE CHAMPAICK, IL 61820 (ALL CORRES ATTN DAN MCCLELLAND) OICY ATTN K. YEH

INSTITUTE FOR DEFENSE ANALYSES 1801 NO. BEAUREGARD STREET ALEXANDRIA, VA 22311 O1CY ATTN J.M. AEIN
O1CY ATTN ERNIST BAUER
O1CY ATTN HANG WOLFARD
O1CY ATTN JOEL BENGSTON

INTL TEL & TELEGRAPH CORPORATION 500 WASHINGTON AVENUE NØ7LEY, NJ 07110 O1CY ATTR TECHNICAL LIBRARY

JAYCOR 11011 TORREYANA ROAD P.O. BOX 85154 SAN DIEGO, CA 92138 OICY ATTN J.L. SPERLING

JOHNS HOPKINS UNIVERSITY APPLIED PHYSICS LABORATORY JOHNS HOPKINS ROAD LAUREL, MD 20810 O1CY ATTN DOCUMENT LIBRARIAN O1CY ATTN THOMAS POTEMRA O1CY ATTN JOHN DASSOULAS

OICY ATTN T. MEAGHER

KAMAN TEMPO-CENTER FOR ADVANCED STUDIES 816 STATE STREET (P.O DRAWER QQ) SANTA BARBARA, CA 93102 OICY ATTN DASIAC OICY ATTN WARREN S. KNAPP OICY ATTN WILLIAM MCNAMARA OICY ATTN B. GAMBILL

LINKABIT CORP 10453 ROSELLE SAN DIEGO, CA 92121 OICY ATTN IRWIN JACOBS

LOCKHEED MISSILES & SPACE CO., INC. MITTE CORP P.O. B(X 504 SUNNYVALE, CA 94088 WESTGATE RESEARCH PARK 1820 DOLLY MADISON BLVD OICY ATTN DEPT 60-13 MOLEAN, VA 22101 O1SY ATTN D.R. CHURCHILL DICY ATTN W. HALL OLCY ATTN W. FOSTER LOCKHEED MISSILES & SPACE CO., INC. 3251 HANOVER STREET PACIFIC-SIERRA RESEARCH CORP PALO ALTO, CA 94304 12340 SANTA MONICA BLVD. OIGY ATTN MARTIN WALT DEPT 52-12 OIGY ATTN W.L. IMHOF DEPT 52-12 LOS ANGELES, CA 90025 OICY ATTN E.C. FIELD, JR. OICY ATTN RICHARD G. JOHNSON DEPT 52-12 PENNSYLVANIA STATE UNIVERSITY DICY ATTN J.S. CLADIS DEPT 52-12 IONOSPHERE RESEARCH LAB 318 ELECTRICAL ENGINEERING EAST MARTIN MARIETTA CORP UNIVERSITY PARK, PA 16802 ORLANDO DIVISION (NO CLASS TO THIS ADDRESS) P.O. BOX 5837 DICY ATTN IONOSPHERIC RESEARCH LAF ORLANDO, FL 32805 CICY ATTN R. HEFFNER PHOTOMETRICS, INC. 4 ARROW DRIVE MCDONNEL DOUGLAS CORPORATION WOBURN, MA 01801 5301 BOLSA AVENUE O1CY ATTN IRVING L. KOFSKY HUNTINGTON BEACH, CA 92547 OICY ATTN N. HARRIS OICY ATTN J. MOULE PHYSICAL DYNAMICS, INC. P.O. BOX 3027 OICY ATTN GEORGE MRUZ BELLEVUE, WA 98009 OICY ATTN W. OLSON 01CY ATTN E.J. FREMOUW CICY ATTN R.W. HALPRIN OICY ATTN TECHNICAL PHYSICAL DYNAMICS, INC. P.O. EOX 10367 LIBRARY SERVICES OAKLAND, CA 94610 MISSION RESEARCH CORPORATION ATTN A. THOMSON 735 STATE STREET

SANTA BARBARA, CA 93101 R & D ASSCCIATES

O1CY ATTN P. VICCHER P.O. BOX 9695

O1CY ATTN W.F. CREVIER MARINA DEL REY, CA 90291

O1CY ATTN STEVEN L. GUTSCHE 01CY ATTN FORREST GILMORE

O1CY ATTN P BOGUSCH 01CY ATTN WILLIAM B. WRIGHT, JR. 735 STATE STREET OTOY ATTN STEVEN E. GO.SCHE
OTOY ATTN R. BOGUSCH
OTOY ATTN R. HENDRICK
OTOY ATTN RALPH KILB
OTOY ATTN DAVE SOWLE
OTOY ATTN F. FAJEN
OTOY ATTN M. SCHEIBE OTCY ATTN WILLIAM J. KARZAS OICY ATTN H. ORY O1CY ATTN C. MACDONALD O1CY ATTN BRIAN LAMB OICY ATTN MORGAN GROVER DICY ATTN CONRAD L. LONGMIRE OICY ATTN B. WHITE RAYTHEON CO. DICY ATTN R. STAGAT 528 BOSTON POST ROAD SUDBURY, MA 01770 MISSION RESEARCH CORP. OTCY ATTN BARBARA ADAMS 1720 RANDOLPH ROAD, S.E. RIVERSIDE RESEARCH INSTITUTE ALBUQUERQUE, NM 87106 OTOY M. ALME 330 WEST 42nd STREET HEW YORK, NY 10636 DOGY L. WRIGHT OTOY ATTN VINCE TRAPANI

SCIENCE APPLICATIONS INTERNATIONAL INCORPORATES 1150 PROSPECT PLACA LA GOLLA, DA BAGGT GROY ATTN LAWID M. LINSON CHOY ATTY DAVIED A. HAMLIN OLCY ATTN E. FRIEMAN OLCY ATTN E.A. STRAKER OLDY ATT: CURTIS A. SMITH SCIENCE APPLICATIONS INTERNATIONAL CORPORATION 17'0 GOODRIDGE DR. MOLEAN, VA 22102 110Y J. G. CKAYNE 010Y S. HYMAN URI INTERNATIONAL 333 RAVENSWOOD AVENUE MENLO PARK, DA 94025 OTCY ATTN J. CASPER 310Y ATTN DONALD NEILSON CICY ATTN ALAM BURNS OICY ATTN G. SMITH 010Y ATTN R. TSUNODA 01CY ATTN DAVID A. JOHNSON 010Y ATTN WALTER G. CHESNUT 310Y ATTN CHARLES L. RINO 010Y ATTN WALTER JAYE 010Y ATTN J. VICKREY ATTN RAY L. LEADABRAND ATTN G. CARPENTER ATTN G. PRICE ATTN R. LIVINGSTON OICY 01CY 010Y 01CY O10Y ATTN V. GONZALES O10Y ATTN D. MODAWIEL TECHNOLOGY INTERNATIONAL CORP 75 WIGGINS AVENUE BEDFORD, MA 01730 1104 ATTN W.P. BOQUIST TRW DEFENSE & SPACE SYS GROUP ONE SPACE PARK REDCHOS BEACH, SA 90278 CICY ATTN R. K. PLEBUCH OTOY ATTN S. ALTSCHULER OTOY ATTN D. DEE OTOY ATTN D/ STOCKWELL SUTF/1575

VISIDYNE
SOUTH BEDFORD DTREET
BURLINGTON, MA D1803
D10Y ATTN W. BEIDY
D10Y ATTN W. DARFENTER
NOTOY ATTN D. BUMPHREY
UNIVERSITY OF PITTSBURGH
PITTSBURGH, PA 15213
D10Y ATTN: N. DARBUCKY

NRL Code 1220 1 copy